



**WX10**

The powerful WX10 is an economical 1" volume pump with a 36m head that delivers a maximum of 140 litres per minute.

## INTRODUCTION

### LIGHTWEIGHT & POWERFUL

A portable and versatile pump, the WX10 is able to handle large volumes of clean water, making it ideal for irrigation, drainage, general purpose cleaning and many other applications.

It's powered by Honda's Generation II mini 4-Stroke GX25 engine, a leader of its class and the same engine that powers many of Honda's handheld products.

Featuring an economical 1" volume pump, a maximum suction head of 8m and a total head of 36m, it delivers up to 140 litres of water per minute.

### EASY & FRIENDLY

Like most Honda Power Equipment products, the WX10 starts first time, every time with Honda's famous one pull easy start system.

Being powered by a long-lasting, efficient Honda engine, you'll never have to mix oil and petrol again.

That makes the WX10 an environmentally-friendly Volume Pump with low emissions, less noise than the competition and low fuel consumption.

### HONDA PUMP RANGE

Honda Water Pumps offer a level of uncompromising performance to a wide variety of water transfer applications.

Designed for easy starting, priming and dependable service, used throughout the world for over 20 years, Honda water pumps have earned a reputation for unsurpassed reliability and performance.

These pumps are known for their durable construction, quality engines and easy portability; features that apply to all categories of Honda pumps.

### WARRANTY

All Honda pumps come with an impressive 4 Year Domestic Warranty and 1 Year Commercial Warranty, giving you added peace of mind.

When combined with a network of over 400 authorised independent dealers around Australia, you've got some serious back-up with a Honda pump.

There's no question; if you're after a quality investment that won't let you down, the Honda WX10 is just the pump for you.

## SPECS

### SPECIFICATIONS

<b>ENGINE</b>	GX25
<b>DISPLACEMENT (CC)</b>	25cc
<b>FUEL TYPE</b>	Unleaded
<b>FUEL TANK CAPACITY</b>	0.55 litres
<b>FUEL CONSUMPTION</b>	0.54 l/hr
<b>TOTAL HEAD</b>	36m
<b>SUCTION HEAD</b>	8m
<b>MAXIMUM PUMPING CAPACITY</b>	140 litres
<b>SUCTION PORT DIAMETER</b>	25mm
<b>DISCHARGE PORT DIAMETER</b>	25mm
<b>MAXIMUM PUMPING CAPACITY</b>	140 l/min
<b>SELF PRIMING TIME (AT 5M)</b>	80 sec at 5m

<b>PUMP TYPE</b>	Centrifugal volume pump
<b>OIL ALERT</b>	No
<b>DIMENSIONS</b>	325 x 220 x 300
<b>DRY WEIGHT (KG)</b>	6.1
<b>MOUNTING TYPE</b>	No
<b>HOSE BAND/STAINER</b>	Yes
<b>PRICE</b>	\$699

## [VISIT HONDA POWER EQUIPMENT WEBSITE](#)

For terms and conditions please visit [http://about.hondampe.com.au/Terms\\_and\\_Conditions](http://about.hondampe.com.au/Terms_and_Conditions)  
The information in this document is valid as of 08/04/2015. For the most up to date information please visit <http://powerequipment.honda.com.au>